10

15

20

CLEMATIS PLANT NAMED 'SPRINKLES'

BACKGROUND OF THE NEW VARIETY

The present invention relates to a new and distinct variety of clematis plant known by the cultivar name 'Sprinkles'.

The new variety was discovered in a controlled planting of cultivated plants in a clematis nursery in Walworth, New York in 1994. Plants were asexually propagated and observed over the next four years. In 1998, an offspring was selected and planted in an outside garden area and observed over the next two years. Asexual propagation by vegetative cuttings has shown that the propagules are identical to the original plant in all distinguishing characteristics. The stability of the variety is evidenced by the distinguishing characteristics remaining true to form from generation to generation. The parentage of the variety is unknown.

SUMMARY OF THE INVENTION

Among the features which distinguish the new variety from other presently available and known commercial clematis cultivars are the unique color of the flower and the long blooming habit of the plant. The flower has sprinkles of white which are distributed throughout the petals. A petal typically carries a white bar that extends along its center longitudinal axis. While the white bar is not dominant or very pronounced or consistent throughout the flowers, it is consistent throughout the plant itself. Their wavy edged petals and rose-tipped stamens further distinguish the flowers.

5

10

15

RELEVANT PRIOR ART

The new variety is somewhat similar in appearance to the Ernest Markham variety as shown in the Spring Valley Greenhouse, Inc. catalogue (4th Edition) at page 9. While the flowers of both varieties are about the same size and have wavy edged petals, there is a marked difference in the coloration of the petals. The petals of the Ernest Markham variety are a solid, magenta-red (Pantone® #512C), whereas the petals of the new variety have edges which are rose pink (Pantone® #246U) and which fade to white in the center thereby forming a white bar in the middle of the petal. Moreover, white is also sprinkled throughout the petals creating an aesthetically soft appearance.

BRIEF DESCRIPTION OF THE PHOTOGRAPH


The accompanying photograph illustrates the overall appearance of the new variety. The flower and foliage colors as shown are, within the limitations of color photography, accurate and true reproductions of the actual colors of the new variety. The photographic view is a front elevation of typical Clematis Sprinkles in full bloom.

BOTANICAL DESCRIPTION

The following information is based on plants grown in Walworth, New York.

Color references are based on using the Pantone® matching system.

- I. Plant
 - A. / Form: upright climbing or spreading
- 20 B/ Growth: vigorous, vining
 - 1. Height: approximately 10 feet to 12 feet



II.	Flower
	A. Blooming habit: recurrent, June to September based on climate in
	Rochester, New York area
	B. Bud:
5	1. Size: from about 1.5 inches to about 2.0 inches
	2. Form: elliptic to ovate
	3. Color: green/grayish white
	C. Stem:
	1. Length: from about 6 inches to about 8 inches
10	2. Aspect: vertical
	3. Strength: erect
	4. Color: green, turning red/purple with age
	D. Bloom
	1. Size: from about 4 inches to about 6 inches
15	2. Form: round, very symmetrical with six (6) petals of equal size
	overlapping with wavy margins
	Color: edges of petals are rose pink (Pantone® #246U) fading to
	white in the center; white is also sprinkled throughout the petals
	giving the plant a very soft look to the human eye
20	4. Characteristics: borne on 6 inch to 8 inch stems; suitable for cut
	flower arrangements
	5. Quantity: very floriferous, resulting from multiple buds formed
,	on each stem
	4

